

ALLERGY SKIN PRE-TESTING PATIENT INSTRUCTIONS

Please read this entire form

You have been scheduled for allergy skin testing on	at	, in our office.
Please allow 1 ½ - 2hrs for the test. Your follow up appointment with Dr		will be on
to discuss your test results and treatment plan.		

- Please arrive on time to your appointment with your allergy testing packet completely filled out to avoid any cancellations or rescheduling of your appointment.
- Prior to skin testing you must discontinue any allergy medication: antihistamines for 7 days, this includes: Claritin (Loratadine), Clarinex (Desloratadine), Allegra (Fexofenadine), Zyrtec (Cetirizine), Xyzal (Levocetirizine), Benadryl (Diphenhydramine), Astelin/Astepro, Patanase and Dymista nasal sprays.
- You may continue taking your decongestants: Entex La, Deconsal, Sudafed, etc... as well as your nasal steroid sprays: Flonase, Nasonex, Veramyst, Zetonna, Qnsal or Omnaris.
- Stay on your inhalers; if you are having trouble breathing the day of the allergy test, the appointment will be rescheduled.
- You will not be tested if you are using a topical steroid on both arms. You may be tested 7
 days after the last application.
- No large amounts of vitamin C (600mg. max.) for a least 7days prior to the test.
- Eat breakfast or lunch prior to the test and wear a short sleeve shirt.
- If you are taking a sleep aid such as Tylenol PM, Advil PM, Unisom, Sominex, Compoz night time sleeping aid, and Unisom sleep gels maximum strength, they need to be discontinued 3 days prior to the test. They will alter the test results. You may continue taking Ambien or Lunesta.
- Herbal supplements that will affect allergy testing include: Licorice, Green Tea, Saw Palmetto, St. Johns Wort, Feverfew, Milk Thistle, and Astragalus. Discontinue these 7 days prior to the test.
- If you have a history of Asthma, your allergy testing will be performed in two office visits.
- For patient safety, we do not permit children who are not patients in the testing area. Please plan accordingly.

Most insurance companies cover allergy testing and treatment. Our office will verify your insurance benefits prior to your appointment. Procedure codes: Allergy Testing 95004 and 95024; Allergy Injections 95117 and 95165. Your diagnosis code is 477.9

If you have any further questions, please call our office Monday through Friday from 9:00 am to 5:00pm at (770)427-0368 ext 215.



ALLERGY SKIN TESTING CONSENT

Patient Name: _	Date:
allergens that ma water extracts of	as suggested an allergy skin test be performed in an attempt to identify specific environmental by be causing you to suffer from persistent allergic rhinitis. All allergens used in testing contain pollens, molds, mites, insects or animal dander to which you may possibly have an allergy to. The applied by various testing methods which will be determined by your ENT physician.
MQT method:	A set of allergens is applied to your forearms using a device that pricks the superficial layer of skin and simultaneously applies a drop of allergen to the site. The prick sites are measured after 20 minutes and then one single injection of each allergen is applied at a strength that is determined by your prick results. This test will take approximately 45 minutes.
IDT method:	Sets of allergens of different strengths are individually injected just beneath the superficial skin layer on your upper arms. Each injection site is measured after 15 minutes to determine how you reacted to each allergen in the set. There are 8 allergens in each set and the number of sets that will be injected will be determined by your skin reaction.
•	rgy Skin Testing: Identification of allergens that are causing persistent allergic rhinitis (hay fever) symptoms Ability for your physician to develop a more effective treatment plan
possibility of adve	ng, as with any other procedure that requires substances to be injected into the body, there is the erse reactions. These generally are mild and include local reactions or mild systemic reactions. or severe systemic reactions are possible. (See below)
Local Reactions • • •	Burning or itching at the injection site
Mild Systemic F	Reactions (occasionally): Nasal congestion and/or runny nose with itching of ears, nose and or throat and/or sneezing occurring within two hours of the injection. Itchy, watery or red eyes
Severe Systemi • • • •	C Reactions include (rarely): Wheezing, coughing, shortness of breath and or airway swelling Generalized hives (welts) Swelling of the tissue around the eyes, the tongue, and or throat Stomach or uterine (menstrual-type) cramps Abnormalities of the heart beat Loss of ability to maintain blood pressure and pulse. Death Patient Initial
•	Death Fatient millar

Date

Date

We want to assure you that we place great emphasis on patient safety and overall well being of all those we provide
service to and to inform you that we maintain all the necessary equipment, medications and staff who are trained to
respond effectively to these types of situations.

Alternatives	to A	llergy	Testing:
--------------	------	--------	----------

Patient Signature

Witness Signature

- Avoidance
- Medications (antihistamines, nasal steroid spray, others)

<u>I have been given an opportunity</u> to ask questions about my condition, alternative forms of treatment, risk of non-treatment, the procedures to be used, and the risks and hazards involved and I believe that I have sufficient information to give this informed consent. I understand that no warranty or guarantee has been made to me as to result or cure.

I do hereby give consent to be skin tested for allergies. I understand that, although rare, severe systemic reactions may result in permanent disability or even death.

I consent and authorize the treatment of any reactions that may occur as a result of an allergy testing.

Patient Signature	Date
Witness Signature	Date
Factors Affecting Skin Testing:	
By signing below I acknowledge that I was advised by the staff of The Allergany medications I had been taking that may possibly interfere with the test. knowingly taken any medications or preparations that contain: Antihistamine Antidepressants, Vitamin C, Herbal Supplements or the drug Strattera(used	I further acknowledge that I have not es, MAO-Inhibitors, Tricyclic



PATIENT ALLERGY QUESTIONNAIRE

Patient Name:			Date of Birth:				
Complete the fo	ollowing sec	tion if there is a	history of:	:			
NASAL AND E	YE SYMPT	OMS					
Nasal congestion Itchy Nose Headache		Sneezing Itchy Eyes Ear problems			Post Nasal Drip Watery Eyes NONE		
Other:							
When are you symptomatic? When are your symptoms worst?		Winter Winter	Spring Spring	Summer Summer	Fall Fall	Year-Round Year-Round	
Suspected or k	nown cause	s of these symp	otoms:				
Colds Trees Dogs	Dust Weeds Cats	Odors Grass Latex	/Fumes	Cigarette Smoke Mold Foods		Mowing Lawn	
Other:							
Number of Sinu History of Nasa			oast year: ₋	NO			NONE
PULMONARY	SYMPTOMS	5					
Asthma Chest tightness	9		Bronchitis Cough		S	hortness of Breath	
Other:							
Suspected or k	nown cause	s of these symp	otoms:				
Colds Trees Dogs Other:	Dust Weeds Cats	Grass Latex	/Fumes	Cig Mo Foo		Mowir	ng Lawn
Number of Cold							NONE



Patient Name:	Date of Birth			
Have you had any previous reaction to insect bite Local reaction at sting site Rash	s? Breathing Problems	Other:		
PREVIOUS ALLERGY EVALUATION: Have you had any previous allergy testing? Date Tested: Positive to:	YES (if yes continue below) Positive	NO Negative		
Have you received allergy injections:	YES	NO		
Any adverse reactions? Previous injection dates:	YES Last Injection:	NO		
What medications relieve your allergy symptoms?				
ENVIRONMENTAL HISTORY				
Smoking: Do you presently smoke? How many cigarettes a day?	YES (if yes continue below) How long have you been smoki	NO		
Have you ever smoked? How long did you smoke?	YES When did you stop)	NO		
Does anyone smoke in your home?	YES	NO		
Do you have any pets or are exposed to pets on a How many cats?		NO		
What type of dwelling do you live in? House Apartment Con	do Townhouse	Basement Apartment		



ALLERGY SKIN TESTING FAQ

1. WHAT IS ALLERGY SKIN TESTING?

Allergy skin testing involves the use of substances that provoke an allergic response or reaction, commonly referred to as allergens. Local area tree, grass, and weed pollens, molds, and animal dander are examples of such substances that are made into what we call allergen extract.

2. HOW IS SKIN TESTING DONE?

Allergen extracts are placed just beneath the surface of the skin for a small period of time. This is done through a series of small injections, which place the allergen extract just beneath the first few layers of skin. Minor discomfort and itching are common during the procedure.

3. WHAT DO THE RESULTS SHOW?

Skin testing is used to diagnose immediate-type hypersensitivity to allergies. This is the most common type of allergic reaction. Such reactions are caused by certain substances in the body, called immunoglobulin E (IgE) antibodies. Antibodies are proteins that fight off foreign invaders. Skin testing is performed to measure the level of IgE antibodies in the blood by provoking a local inflammatory response on the skin. Such responses may include the development of red, raised bumps on the skin surrounded by a red, inflamed area, similar to a mosquito bite. The exact size of the raised area shows how allergic you are to that specific antigen.

4. HOW DOES SKIN TESTING HELP ME?

Skin testing is a simple way to find out what specific substances causing your allergies. By pinpointing the specific allergens causing your symptoms, your doctor can tailor your treatment too specifically to what you are allergic to. Skin testing also provides valuable information about how you body responds to allergens. Such information is helpful in the creation of a treatment plan to keep your allergies under control.

5. HOW DO I PREPARE FOR MY ALLERGY TESTING?

Your doctor will give you a list of medications that must be discontinued one week before your allergy skin testing. If these medications are taken within 7 days prior to testing, the results will not yield accurate results. If you take these medications within 7 days prior to testing, you will be asked to reschedule your testing until a later date. Wear a short sleeve shirt as testing is performed on the upper arms and forearms.

If you have any additional questions, please call our Allergy Department during normal business hours which are 9:00 a.m. to 5:00 p.m. Monday through Friday.



QUESTIONS ABOUT MY ALLERGY TEST

1.			
2.	 	 	
3.	 	 	
4.	 	 	
5.			
6.			
1.	 -		
8.	 	 	
9.			
10.			